

7.0 Inch Touch Screen Display Panel 350 Cd/M2 With 24 Bit Parallel RGB Interface

Basic Information

Place of Origin: ShenZhen, China
Brand Name: Chenghao/Oem
Certification: ROHS ISO9001 CE
Model Number: CH700WS03D-T

Minimum Order Quantity: 100 pcsPrice: Negotiation

Packaging Details:
All the products are packed in right way to

keep it safe. For small sizes of products we use tray + carton, For bigger sizes we use foam slot + carton. we also design packages

according to customers' requirements

Delivery Time: 7-15 working days

• Payment Terms: T/T

• Supply Ability: 300Kpcs/month



Product Specification

Product Name:
7.0 Inch Touch Screen Display Panel

Resolution: 1024x600

Outline Dimension: 164.9(W)×100.0(H)×4.78(T) Mm
Display Area: 154.2144(W)×85.92(H) Mm
TFT Dot Pitch: 0.1506 (W)×0.1432 (H) Mm

Backlight Type: White LedLuminance: 350 Cd/m2

• Highlight: RTP Touch Screen Display Panel,

350 cd/m2 Touch Screen Display Panel, 24Bit Parallel RGB LCD Display Module



Product Description

7.0 Inch Touch Screen Display Panel With 24-Bit Parallel RGB Interface

1. Specification

ITEM	STANDARD VALUES	UNITS
LCD type	7.0"TFT	
Dot arrangement	1024(RGB)× 600	dots
Driver IC	***	
Module size	164.9(W)×100.0(H)×4.78(T)	mm
Active area	154.2144(W)×85.92(H)	mm
Dot pitch	0.1506 (W)×0.1432 (H)	mm
Operating temperature	- 20 ~ + 70	°C
Storage temperature	- 30 ~ + 80	°C
Back Light	27 pcs White LED In Paralle	
Weight	TBD	g

2. Description

ChengHao Display model CH700WS03D-T is a 7.0 inch touch screen with 24-bit Parallel RGB Interface. There is a Resistive touch panel (RTP) of this touch screen, which supports human-computer interaction and can display 1024×3(RGB)×600 resolution high-definition images. Users need to read the screen from the direction of 12 o'clock. If CH700WS03D-T cannot fully meet your needs, we have many similar solutions for you to choose from. You can consult customer service or send emails to obtain relevant information.

Contact Us to get the Detailed Datasheet

3. Drawing

























4. Quick Detail

Resolution: 1024x600 dots

Dot pitch: 0.1506 (W)×0.1432 (H) mm

Outline dimension : $164.9(W) \times 100.0(H) \times 4.78(T)$ mm

Active Area: 154.2144(W)×85.92(H) mm

View angle: 12:00

Pixel Arrangement : RGB-stripe Surface Treatment : Plant TFT Electrical Interface : RGB Brightness : 350 (cd/m2) Tft driver IC :****** Contrast ratio : 500

Backlight Type: White LED Response time: ******(ms)

Display mode: TN, Normally White, Transmissive


Operate temperature : $-20^{\circ} +70(^{\circ}C)$ Storage temperature : $-30^{\circ} +80(^{\circ}C)$

Display Colors: 16.7M Power Supply Voltage: **** Backlight lifetime: 20k hrs(Min.)

Touch Panel Type: Resistive touch panel

Touch Panel Interface: USB

5. Application



6. FAQ

1. who are we?

Medical Equipment

We are based in Guangdong, China, start from 2015,sell to Domestic Market(33.00%),North America(20.00%),Western Europe(19.00%),Eastern Europe(10.00%),Southeast Asia(7.00%),Northern Europe(5.00%),Eastern Asia(3.00%),South Asia(2.00%),Oceania(00.00%). There are total about 51-100 people in our office.

Identify The Device

Client Terminal

Artificial Intelligence

Fingerprint Recognition

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.what can you buy from us?

Sensor Module, Display Module, Power Module, Wireless Module, PCB.

Home Equipment

4. why should you buy from us not from other suppliers?

Established in 2015 shenzhen private high quantity Electronic modules, processors and microcontrollers, embedded peripheral chips, logic chips, memory, power chips, drivers, sensors, crystals and so on .Work area 1001-2000 square meters more than 100 peopls



Shenzhen ChengHao Optoelectronic Co., Ltd.

+86 755-27806536



add@chenghaolcm.com chenghaolcd.com



7th floor, building C5, Hengfeng Industrial City, Hangcheng street, Bao'an District, Shenzhen