ShenZhen, China

Chenghao/Oem

CH500WV10A

Negotiation

ROHS ISO9001 CE

7-15 working days

300Kpcs/month

T/T

5 Inch Hight Brightness Color LCD Screen 800x480 1200 Nits 40pin LCD **Display Module**

All the products are packed in right way to keep it safe. For small sizes of products we use tray + carton, For bigger sizes we use foam slot + carton. we also design packages according to customers' requirements

5 Inch Hight Brightness Color LCD Screen

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100 pcs
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:

- Payment Terms:
- Supply Ability:





Product Specification

- Product Name:
- LCD Type:
- Dot Arrangement:
- Display Mode:
- Viewing Direction:
- Interface:
- Operating Temp: • Storage Temp:
- -30~+80 °C

5.0" TFT

800*480

80/80/80/80 RGB

-20~+70 °C

IPS/ Transmissive

- Highlight:
- IPS Transmissive Color LCD Screen, Color LCD Screen 1200 nits, 40pin LCD Display Module



Product Description

5 Inch Hight Brightness Color LCD Screen 800x480 1200 Nits 40pin LCD Display Module

1. Specification

	5.0"TFT
Display Mode	ips /Transmissive/Normally BLACK
	800*480
	80/80/80
Module size	120.7(W)×75.8(H)×3.0(T) MM
	108(W)×64.8(H) MM
	0.135(W)×0.135(H) MM
Interface	24-bit RGB
Backlight Type	White LED
Luminace	1200 cd/m2

2. Description


Chenghao Optoelectronic CH500WV10A is a 5 inch hight brightness color LCD screen used in detection instruments. When If=180 mA, the brightness of this hight brightness color LCD screen can reach 1200 cd/m2, and users can still clearly read the content on the screen when using it under strong light outdoors. In order to improve the readability of the screen, CH500WV10A uses IPS display technology, the viewing angle reaches 80/80/80, and users can clearly browse the content on the screen from any viewing angle.

CH500WV10A is a color LCD screen with excellent performance, which supports RGB interface. There is a 5.0 inch color LCD display area of this hight brightness color LCD screen, which can display video pictures of 800x480 pixels. Its service life can reach 30K Hr under normal operation at a temperature between -20~+70°C. It has passed CE and RoHs certification, and can provide relevant test data according to customer requirements.

3. Drawings

Notes:

(1) Display Type : 5.0 inch TFT
(2) Viewing Direction : 80/80/80/80
(3) Lcd Drive IC : ***
(4) Polarizer Mode : ***
(5) Operating Temp : -20~70 °C
(6) Storage Temp : -30~80 °C
(7) Unmarker Tolerance: ±0.20
(8) Protection : ROHS



4. Quick Detail

LCD type: 5.0"TFT Dot arrangement: 800*480 dots Color Pixel Arrangement: RGB vertical stripe Display Mode: IPS/ Transmissive / Normally BLACK Viewing Direction: 80/80/80/80 Module size:120.7(W)×75.8(H)×3.0(T) mm Active area: 108(W)×64.8(H) MM Dot pitch: 0.135(W)×0.135(H) MM Interface: 24-bit Parallel RGB Interface Operating temperature: -20 ~ +70 °C Storage temperature: -30 ~ +80 °C Weight: TBD g

5. Application



6. FAQ

Q:Can you provide OEM service?

A:yes, we can provide both OEM and ODM service, can customize products according to the drawings you supply. Q: How can I trust your product quality?

A:We have more than 10 years experience in touch screen industry. From material purchasing to product delivery, we have own professional staff and procedures to prevent potential quality risk. Our products have been approved by ROHS. Q: What's your after-sale service?

A: If any problems, you will get our reply within 24 hours. Solution will be offered instantly by our professional and strong technical team.

Q:What is the minimum order?

A:our company mainly deals with wholesale deals, but if you insist buying one set, welcome to take a sample for you check quality and function.

once sample is confirmed, we could allow for a small mount of orders(no quantity limitation) to be put into production and once this is confirmed, MOQ is required.

Q:How long is the warranty time for your products?

A:Normally 1 year warranty without damaged by people actions like misuse. It depends on different products.

Shenzhen ChengHao Optoelectronic Co., Ltd.

▶ +86 755-27806536 Standard Chenghaolcm.com

aolcm.com 🙆 chenghaolcd.com

7th floor, building C5, Hengfeng Industrial City, Hangcheng street, Bao'an District, Shenzhen