

# 7 Segment Monochrome LCD Display Custom White Black Color HTN Positive Transflective

## **Basic Information**

Place of Origin: ShenZhen, China
 Brand Name: Chenghao/Oem
 Certification: ROHS ISO9001 CE
 Model Number: CH000912-HSFW

Minimum Order Quantity: 100 pcsPrice: /

• Packaging Details: All the products are packed in right way to

keep it safe. For small sizes of products we use tray + carton, For bigger sizes we use foam slot + carton. we also design packages according to customers' requirements

• Delivery Time: 7-15 working days

• Payment Terms: T/T

Supply Ability: 300Kpcs/month



## **Product Specification**

Product Name: 7Segment Monochrome LCD Display
 Display Modle: HTN/POSITIVE/TRANSFLECTIVE

• Driving Condition: 1/2DUTY,1/2BIAS;VDD=5.0V,VLCD=5.0V

Viewing Direction: 3:00 O'clock
 Operating Temp: -20~+70°C
 Storage Temp: -30~+80°C
 LCD Connector: COG+FPC
 IC: IST3042

• Highlight: 7 Segment Monochrome LCD Display,

3 o'clock Monochrome LCD Display, COG FPC monochrome lcd panel



## More Images



## **Product Description**

#### Custom White Black Color Lcon Lcd HTN Positive 7Segment Monochrome LCD Display

#### 1. Specification

ITEM	STANDARD VALUES	STANDARD VALUES
Supplier Name	Chenghao Optoelectronic	
Lcd No	CH000912-HSFW	
Display Modle	HTN/POSITIVE( UV)/TRANSFLECTIVE	
Viewing Direction	3:00	
Operating Temp	-20~+70	°C
Storage Temp	-30~+80	°C
LCD Connector	COG+FPC	

#### 2.Quick detail

Product Name: 7Segment Monochrome LCD Display

Supplier Type: Factory

Method of sales: Wholesale Custom

Display Model:HTN/POSITIVE( UV)/TRANSFLECTIVE Driving Condition:1/2DUTY,1/2BIAS;VDD=5.0V,VLCD=5.0V

Viewing Direction:3:00 o'clock Operating Temp:-20~+70°C Storage Temp:-30~+80°C LCD Connector:COG+FPC

IC:IST3042

Module Size:69.9\*48\*6.75 mm

Active Area:65\*37 mm

Backlight:WHITE LED\*5;Vf=3.0V;If=75mA

Unspecified tolerance is ±0.20mm

ROHS Request

CONTROL DIMENSION:\*\*\*
REFERENCE DIMENSION: \*\*\*
REFERENCE DIMENSION: \*\*\*

### 3.Support for custom content:

(1)LCD screen size, material

(2) The type and color of the displayed icon

(3)Backlight brightness, color

(4)Shape structure of FPC

(5)Interface definition

## 4. Drawings

.....

(1)

\*\*11.00±0.15-\*\*\*
\*\*11.00±0.15-\*\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.00±0.15-\*\*
\*\*11.0

#### 5. Our Service

- (1). For any technical problems encountered by customers in the process of testing or using our products, our technical team will provide customers with remote online technical support services at any time.
- (2). We are a factory-type supplier with ISO certification. Our products on sale have undergone strict quality inspection and testing before shipment, and have also passed CE/ROHS certification.
- (3). We have a professional after-sales service team, which can provide strong guarantee and logistical technical services for your orders.
- (4). Replacement within 30 days after the shipment of products from us due to products' problems.
- (5). We have long cooperation with many shipping companies and our export volume is large. The shipping companies can offer us good discounts.
- (6). All goods will be inspected and tested before shipment.

#### 6. FAQ

Q: May i buy samples from you?

A: Yes! You are welcome to place sample order to test our Hight quality and service.

Q: How to place bulk order?

- A: 1) Tell us model number, quantity, color and other special requirements.
- 2) Proforma Invoice will be made and sent to you for approval
- 3) Production will be arranged once get your payment or deposit.
- 4) Goods will be delivered as stated on the Proforma Invoice.

Q: How will you deliver my goods to me?

A: We provide as many shipping options as possible, such as DHL, UPS, FEDEX, TNT AND EMS to enable our customers get their goods

rapidly at door. We also ship by economick method such as air cargo and sea cargo, direct line, air mail according to customers' request.

Q: What about the quality of your product?

A: We provide unrivaled quality: very rigorous testing process for incoming quality control, input process quality control, and final quanity control for every piece. We follow QC test procedure, and do 100% FQC to ensure your satisfication.

Q: Can you provide OEM service?

A: Yes! We can provide professional OEM service.



Shenzhen ChengHao Optoelectronic Co., Ltd.



+86 755-27806536



add@chenghaolcm.com



chenghaolcd.com