



16Ms Mono LCD Display TN Transflective -20 To +70 Operating Temperature

Our Product Introduction

for more products please visit us on chenghaolcd.com

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Chenghao Optoelectronic
- Certification: CE / RoHS / FCC
- Model Number: CH32X4T01F
- Minimum Order Quantity: 100 pcs
- Packaging Details: All the products are packed in right way to keep it safe. For small sizes of products we use tray + carton, For bigger sizes we use foam slot + carton. we also design packages according to customers' requirements.
- Delivery Time: 3~5 working days
- Payment Terms: TT or negotiation
- Supply Ability: 5000K Pcs/Month



Product Specification

- Viewing Area: 185*23 Mm
- Operating Voltage: 4.8V
- Viewing Direction: 12 O'clock
- Module Size: 190*32.9*9.7 Mm
- Storage Temperature: -30 To +80
- Polarizer Mode: Transflective
- Response Time: 16 Ms
- Drive Method: 1/4 Duty, 1/3 Bias
- Highlight: **16Ms Mono LCD Display,**
TN Transflective Mono LCD Display



More Images





Product Description

Mono LCD Display TN Transflective -20 To +70 Operating Temperature

Product Description:

This monochrome LCD display module is designed to provide a high-quality image with a resolution of 188*27.5 mm, making it perfect for spaces with limited space. The FPC pin number is 50 pins, offering a bright, clear view with a brightness of 150 Cd/m². The viewing direction is 12 o'clock, and the response time is 16 ms, ensuring smooth operation and quick response. This monochrome LCD screen display is ideal for a wide range of applications, from industrial to consumer. With its low power consumption, high performance, and excellent image quality, this monochrome LCD screen display is the perfect choice for your display needs.

Features:

Product Name: **Monochrome LCD Display**

FPC Pin Number: 50 Pins

Viewing Area: 185*23 Mm

LCD Szie: 188*27.5 Mm

Polarzer Mode: Transflective

Module Size: 190*32.9*9.7 Mm

Highlight: **Mono LCD, Mono LCD Screen, Mono LCD Display, Mono LCD Panel**

Technical Parameters:

| Property | Specification |
|-----------------------|-----------------------|
| Module Size | 190*32.9*9.7 mm |
| Drive Method | 1/4 Duty, 1/3 Bias |
| Operating Temperature | -20 to +70 |
| Storage Temperature | -30 to +80 |
| Display Type | TN/Positive |
| Brightness | 150 cd/m ² |
| Connector | FPC |
| Viewing Area | 185*23 mm |
| Operating Voltage | 4.8V |
| FPC Pin Number | 50 pins |

Applications:

The Chenghao Optoelectronic CH32X4T01F Monochrome LCD Display is a reliable and cost-effective display solution for a wide range of applications. It features a 1/4 Duty, 1/3 Bias drive method, a 190*32.9*9.7mm module size, a -20 to +70 operating temperature, a -30 to +80 storage temperature, and a FPC connector. It is certified by CE, RoHS, and FCC, and has a minimum order quantity of 1 Pcs. It comes with safe and secure packaging, and has a delivery time of 3~5 working days with flexible payment terms. It is also able to be supplied up to 5000K Pcs/Month. This module is ideal for applications that require a simple monochrome display solution. The Chenghao Optoelectronic CH32X4T01F Monochrome LCD Display is perfect for industrial automation systems, medical equipment, and automotive control systems. It is widely used in industrial equipment, portable devices, and automotive indicators. It is also suitable for applications such as digital scales, portable data terminals, and digital control systems.

The Chenghao Optoelectronic CH32X4T01F Monochrome LCD Display offers a great combination of robustness, reliability, and affordability. With its wide range of features and reliable performance, it is the perfect choice for any application that requires a monochrome lcd display module.



Support and Services:

Technical Support and Services for Monochrome LCD Display

We are pleased to offer technical support and services for Monochrome LCD Display. Our team of experienced technicians are available to help with any issues you may have with your display.

Services Offered

Installation and setup of the display

Diagnosing and troubleshooting hardware or software issues

Upgrading the display's firmware

Providing expert technical advice

Conducting repairs and replacements

Contact Us

For more information or to receive help with your display, please contact us at support@monochromelcd.com.

Packing and Shipping:

Packaging and Shipping for Monochrome LCD Display

The monochrome LCD display is securely packaged in a waterproof box, along with the necessary accessories. The box is then placed in a cardboard box that is filled with protective cushioning material. The package is then wrapped in a plastic sleeve to protect it from moisture and dust. The package is then shipped via a reliable courier service.

FAQ:

Q: What is the brand name?

A: The brand name is Chenghao Optoelectronic.

Q: What is the model number?

A: The model number is CH32X4T01F.

Q: Where is the product made?

A: The product is made in Shenzhen, China.

Q: What certifications does the product have?

A: The product has CE / RoHS / FCC certifications.

Q: What is the minimum order quantity?

A: The minimum order quantity is 1 pcs.



Shenzhen ChengHao Optoelectronic Co., Ltd.



+86 755-27806536



add@chenghaolcm.com



chenghaolcd.com

7th floor, building C5, Hengfeng Industrial City, Hangcheng street, Bao'an District, Shenzhen