16x02 Stn Monochrome Lcd Screen With 6 O'Clock Viewing **Angle**

Basic Information

• Place of Origin: Shenzhen, China

• Brand Name: Chenghao Optoelectronic

CE / RoHS / FCC · Certification: • Model Number: CH1602C01A • Minimum Order

Quantity:

100 pcs

· Packaging Details: All the products are packed in right way to

> keep it safe. For small sizes of products we use tray + carton, For bigger sizes we use foam slot + carton. we also design packages according to customers' requirements.

• Delivery Time: 3~5 working days • Payment Terms: TT or negotiation • Supply Ability: 5000K Pcs/Month



Product Specification

Product Name: Monochrome Graphic Display Module

• CONTROLLER: SPLC780D1 OR EQUIVALENT

• EFFECTIVE V/AREA: 56.2(W)×11.5(H) Mm

• STORAGE -30 ~ 80 °C

TEMPERATURE:

• DISPLAY DOT: **BLUE-BLACK**

 NUMBER OF 16 Characters X 2 Lines

CHARACTERS:

 BACKLIGHT: LED (YELLOW-GREEN)

 DISPLAY YELLOW-GREEN

BACKGROUNTND:

• INPUT DATA: 68 SERIES


• Highlight: 16x02 monochrome lcd screen, stn monochrome lcd screen,





More Images







Product Description

Product Description:

This Monochrome LCD Display is a LCD display module featuring a yellow-green background and 16 characters x 2 lines. It is equipped with a SPLC780D1 or equivalent controller and the character size is 0.55(W)×0.65(H) mm. It has a wide range of storage temperature from -30°C to 80°C, making it suitable for many different applications.

This mono LCD display offers an economical solution with its high contrast, good color saturation, and wide viewing angle. It is also low power consumption and has a long service life. It is a reliable and cost-effective choice for your display applications.


This monochrome LCD display is widely used in industrial automation, medical equipment, automotive, and other various electronic products. It is a perfect fit for applications needing a clear and reliable display solution.# **Graphic display module**

Technical Parameters:

Property	Description
Backlight	LED (Yellow-Green)
View Area	66(W)×16(H)mm
Character Size	0.55(W)×0.65(H)mm
Storage Temperature	-30°C~80°C
Operating Temperature	-20°C~70°C
Bezel	0.6T
View Angle	6 O'Clock
Controller	SPLC780D1 or equivalent
Character Pitch	2.95(W)×5.55(H)mm
Effective V/Area	56.2(W)×11.5(H)mm

Applications:

The Chenghao Optoelectronic CH1602C01A Tn Monochrome Display is a LCD module that is certified to CE / RoHS / FCC standards #Graphic display module lcd. This Tn monochrome display has a view area of 66(W)×16(H) mm, a bezel of 0.6T, an input data of 68 series, a number of characters of 16 characters x 2 lines and a character pitch of 2.95(W)×5.55(H) mm. It is one of the leading LCD display modules in the market and is manufactured by a professional LCD display manufacturer with a minimum order quantity of 1 pcs. This product is shipped in a safe and secure way with tray and carton for small sizes and foam slot and carton for bigger sizes, with an optional customized design packaging. It has a fast delivery time of 3-5 working days and payment terms of TT or negotiation. It has a supply ability of 5000K pcs/month.



Support and Services:

Monochrome LCD display technical support and service

At Chenghao Optoelectronics, we understand that your monochrome LCD display is a critical part of your business and you require technical support and service to ensure its proper operation.#Monochrome Graphic display module

We offer a range of technical support and service options for monochrome LCD monitors, so you can choose the option that best suits your needs.

technical support

Our team of technical experts can provide telephone, email and remote online technical support. They can assist with troubleshooting, software debugging, and hardware repairs.

We understand that your monochrome LCD display is an important part of your business, and we're committed to providing you with the technical support and service you need to keep it running smoothly.

Packing and Shipping:

- 1. All of our shipping boxes meet the export hardness standards
- 2. All of our boxes will be padded with foam inside to prevent screen damage
- 3. Our product packaging adopts a large box with small boxes
- 4. The weight of each box does not exceed 3.5 kilograms, and the dimensions may vary depending on the standard. We will use pallets or wooden frames for the goods

The above packaging methods are all to prevent damage to the display module during transportation, and we can also package the goods according to the customer's wishes.

FAQ:

- Q1: What is the Brand Name of this Monochrome LCD Display?
- A1: The Brand Name of this Monochrome LCD Display is Chenghao Optoelectronics.
- Q2: What is the Model Number of this Monochrome LCD Display?
- A2: The Model Number of this Monochrome LCD Display is CH1602C01A.
- Q3: Where is this Monochrome LCD Display made?
- A3: This Monochrome LCD Display is made in Shenzhen, China.
- Q4: What is the minimum order quantity of this Monochrome LCD Display?
- A4: The minimum order quantity of this Monochrome LCD Display is 1 Pcs.
- Q5: What is the certification of this Monochrome LCD Display?
- A5: This Monochrome LCD Display is certified with CE / RoHS / FCC.











7th floor, building C5, Hengfeng Industrial City, Hangcheng street, Bao'an District, Shenzhen